

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8907	((228/1.1,110.1,102-105) or (323/282,351) or (156/73.1-73.4, 580,580.1,580.2)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/28 08:28
L2	27960	(multi or multipl\$6 or plural or plural\$4) near (tool or probe or tip or capillary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/28 08:28
L3	27979	(L1 or L2) and (multi or multipl\$6 or plural or plural\$4) near (tool or probe or tip or capillary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 08:28
L4	2851	L3 and (sonic or ultrasonic or sonic\$6 or ultrasonic\$6) and (series or row or multi or multipl\$6 or plural or plural\$4) near (tool or probe or tip or capillary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 08:28
L5	70	L4 and select\$4 near input\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 08:28
L6	10	L5 and (signal\$4 or indicat\$4) near (power or state or status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 08:28
L7	229	L4 and (signal\$4 or indicat\$4) near (power or state or status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 08:29
L8	135	L7 and switch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 08:29

EAST Search History

L9	17	L8 and (detect or detect\$4 or sense or sens\$4 or monitor\$4 or measur\$5 or circuit) near (voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 08:29
L10	17	L9 and (logic or program or programm\$4 or control or controll\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 08:29
L11	2420	L4 and (logic or program or programm\$4 or control or controll\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 08:30
L12	1002	L11 and (switch or relay or switch\$4 or relay\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 08:30
L13	127	L12 and switch\$4 and relay\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 08:32
L14	3	L13 and (ultrasonic or generat\$4) near chassis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 08:30
L15	101	L4 and (detect or detect\$4 or sense or sens\$4 or monitor\$4 or measur\$5) near (power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 08:32
L16	143	L4 and (signal\$4 or indicat\$4) near (power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 08:32

EAST Search History

L17	25	15 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 08:32
L18	8	17 and switch\$4 and relay\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 08:33